

Current Practices in the Diagnosis and Treatment of Depression—Best Practices in Primary Care

REFERENCES

- Aina Y, Susman JL. Understanding comorbidity with depression and anxiety disorders. *J Am Osteopath Assoc*. 2006;106 (5 Suppl 2):S9-14.
- American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders, 4th Edition, Text Revision (DSM-IV-TR)*. Washington, DC: American Psychiatric Association; 2000.
- American Psychiatric Association Website. *Frequently Asked Questions: Diagnostic and Statistical Manual of Mental Disorders*. 2006. Available at: http://www.psych.org/research/dor/dsm/dsm_faqs/faq81301.cfm. Accessed September 5, 2006.
- Bea SM, Tesar GE. A primer on referring patients for psychotherapy. *Cleveland Clin J Med*. 2002;69(2):113-127.
- Boulware LE, Cooper LA, Ratner LE, LaVeist TA, Powe NR. Race and trust in the health care system. *Public Health Rep*. 2003;118:358-365.
- Boyer EW, Shannon M. The serotonin syndrome. *N Eng J Med*. 2005;352:1112-1120.
- Burman ME, McCabe S, Pepper CM. Treatment practices and barriers for depression and anxiety by primary care advanced practice nurses in Wyoming. *J Am Acad Nurse Pract*. 2005;17(9):370-380.
- Burroughs VJ, Maxey RW, Crawley LM, Levy RA. *Cultural and Genetic Diversity in America: The Need for Individualized Pharmaceutical Treatment*. National Pharmaceutical Council and National Medical Association, 2002. Available at: <http://www.npcnow.org/resources/PDFs/CulturalFINAL.pdf>. Accessed on December 14, 2006.
- Charbonneau A, Parker V, Meterko M, et al. The relationship of system-level quality improvement with quality of depression care. *Am J Manag Care*. 2004;10(11 Pt 2):846-851.
- Das AK, Olfson M, Gameroff MJ, et al. Screening for bipolar disorder in a primary care practice. *JAMA*. 2005;293:956-963.
- Dasgupta A, Bernard DW. Herbal remedies: Effects on clinical laboratory tests. *Arch Pathol Lab Med*. 2006;130:521-528.
- Depression Guideline Panel. *Depression in Primary Care: Volume 2. Treatment of Major Depression*. Clinical Practice Guideline, Number 5. 1993. Rockville, MD. US Dept of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research. AHCPR Publication No. 93-0551. Available at: <http://www.ncbi.nlm.nih.gov/books/bv.fcgi?rid=hstat6.chapter.15593>. Accessed October 24, 2006.
- Depression Guideline Panel. *Depression in Primary Care: Detection, Diagnosis, and Treatment. Quick Reference Guide for Clinicians, Number 5*. Rockville, MD. US Dept. of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research. AHCPR Publication No. 93-

0552. 1993. Available at: <http://www.ncbi.nlm.nih.gov/books/bv.fcgi?rid=hstat6.section.33088>. Accessed October 30, 2006.

Ferketich AK, Schwartzbaum JA, Frid DJ, Moeschberger ML. Depression as an antecedent to heart disease among women and men in the NHANES I study. National Health and Nutrition Examination Survey. *Arch Intern Med*. 2000;160(9):1261-1268.

Fochtmann IJ, Gelenberg AJ. *Guideline Watch: Practice Guideline for the Treatment of Patients With Major Depressive Disorder, 2nd Edition*. Arlington, VA: American Psychiatric Association, 2005. Available at: http://www.psych.org/psych_pract/treatg/pg/prac_guide.cfm. Accessed October 27, 2006.

Frank E, Kupfer DJ, Thase ME, et al. Two-year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder. *Arch Gen Psychiatry*. 2005;62:996-1004.

Frasure-Smith N, Lesperance F, Talajic M. Depression following myocardial infarction: impact on 6-month survival. *JAMA*. 1993;270:1819-1825.

Gagne GG, Furman MJ, Carpenter LL, Price LH. Efficacy of continuation ECT and antidepressant drugs compared to long-term antidepressants alone in depressed patients. *Am J Psychiatry*. 2000;157:1960-1965.

Goldberg, RJ. *Practical Guide to the Care of the Psychiatric Patient*. 2nd ed. St. Louis, MO: Mosby; 1998.

Goodwin GM, Bowden CL, Calabrese JR, et al. A pooled analysis of 2 placebo-controlled 18-month trials of lamotrigine and lithium maintenance in bipolar I disorder. *J Clin Psychiatry*. 2004;65:432-441.

Hirschfeld, RMA. *Guideline Watch: Practice Guideline for the Treatment of Patients with Bipolar Disorder*. Arlington, VA: American Psychiatric Association. 2005. Available at: http://www.psych.org/psych_pract/treatg/pg/prac_guide.cfm. Accessed October 30, 2006.

Hirschfeld RMA, and the Workgroup on Bipolar Disorder. *Practice Guideline for the Treatment of Patients With Bipolar Disorder, Second Edition*. 2002. Available at: http://www.psych.org/psych_pract/treatg/pg/prac_guide.cfm. Accessed October 27, 2006.

Hirschfeld RMA, Keck PE, Kramer M, et al. Rapid antimanic effect of risperidone monotherapy: a 3-week multicenter, double-blind, placebo-controlled trial. *Am J Psychiatry*. 2004; 161:1057-1065.

Institute for Clinical Systems Improvement. *Health Care Guideline: Major Depression in Adults in Primary Care*. 2006. Available at: <http://www.icsi.org/knowledge/detail.asp?catID=29&itemID=180>. Accessed October 31, 2006.

Juckett G. Cross-cultural medicine. *Am Fam Physician*. 2005;72(11):2267-2274.

Karasu TB, and the Workgroup on Major Depressive Disorder. *Practice Guideline for the Treatment of Patients with Major Depressive Disorder, 2nd Edition*. 2000. Available at: http://www.psych.org/psych_pract/treatg/pg/prac_guide.cfm. Accessed October 27, 2006.

Katon, W, Schulberg H. Epidemiology of depression in primary care. *Gen Hosp Psychiatry*. 1992;14(4):237-247.

- Keck PE Jr, Marcus R, Tourkodimitris S, et al. A placebo-controlled, double-blind study of the efficacy and safety of aripiprazole in patients with acute bipolar mania. *Am J Psychiatry*. 2003;160:1651-1658.
- Klinkman, MS. The role of algorithms in the detection and treatment of depression in primary care. *J Clin Psychiatry*. 2003;64(suppl 2):19-23.
- Kroenke K, Spitzer RL, Williams JBW. The PHQ-9: Validity of a brief depression severity measure. *J Gen Intern Med*. 2001;16:606-613.
- Lustman PJ, Anderson RJ, Freedland KE, de Groot M, Carney RM, Clouse RE. Depression and poor glycemic control: a meta-analytic review of the literature. *Diabetes Care*. 2000;23(7):934-942.
- Malhotra A, Murphy GM, Kennedy JL. Pharmacogenetics of psychotropic drug response. *Am J Psychiatry*. 2004;161:780-796.
- McIntyre RS, Konarski JZ, Mancini DA, et al. Measuring the severity of depression and remission in primary care: validation of the HAM-D-7 scale. *Can Med Assoc J*. 2005;173(11):1327-1334.
- Means-Christensen AJ, Sherbourne CD, Roy-Byrne PP, Craske MG, Stein MB. Using five questions to screen for five common mental disorders in primary care: diagnostic accuracy of the Anxiety and Depression Detector. *Gen Hosp Psychiatry*. 2006;28(2):108-118.
- Melia P. Spotting the signs of depression to ensure early treatment and reduce suicide deaths. *Prof Nurse*. 2005;20:36-38.
- Mulrow CD, Williams JW, Gerety MB, et al. Case-finding instruments for depression in primary care settings. *Ann Intern Med*. 1995;122:913-921.
- National Institute of Mental Health. *In Harm's Way: Suicide in America*. Bethesda (MD): National Institute of Mental Health, National Institutes of Health, US Dept. of Health and Human Services. Revised May 2003. [NIH Publication No. 03-4594]. Available at: <http://www.nimh.nih.gov/publicat/harmsway.cfm>. Accessed September 1, 2006.
- Patel NC, Keck PE Jr. Ziprasidone: efficacy and safety in patients with bipolar disorder. *Expert Rev Neurother*. 2006;6(8):1129-1138.
- Pignone MP, Gaynes BN, Rushton JL, et al. Screening for depression in adults: a summary of the evidence for the US Preventive Services Task Force. *Ann Intern Med*. 2002;136:765-776.
- Reimherr FW, Amsterdam JD, Quitkin FM, et al. Optimal length of continuation therapy in depression: a prospective assessment during long-term fluoxetine treatment. *Am J Psychiatry*. 1998;155:1247-1253.
- Robinson WD, Geske JA, Prest LA, Barnacle R. Depression treatment in primary care. *J Am Board Fam Pract*. 2005;18(2):79-86.
- Rollman BL, Weinreb L, Korsen N, Schulberg HC. Implementation of guideline-based care for depression in primary care. *Adm Policy Ment Health*. 2006;33(1):43-53.

Roos FJ. Neuroleptics. In: Ford MD, Delaney KA, Ling LJ, Erickson T, eds. *Clinical Toxicology*. 1st ed. Philadelphia, PA: W.B. Saunders Co.; 2001: 541-542.

Saluja G, Iachan R, Scheidt PC, Overpeck MD, Sun W, Giedd JN. Prevalence of and risk factors for depressive symptoms among young adolescents (reprinted). *Arch Pediatr Adolesc Med*. 2004;158:760-765.

Schulz V. Safety of St. John's Wort extract compared to synthetic antidepressants. *Phytomedicine*. 2006;13:199-204.

Smith, MW. Ethnopsychopharmacology. In: Lim RF (ed). *Clinical Manual of Cultural Psychiatry*. Arlington, VA: AP Publishing, Inc. 2006.

Thase ME. Bipolar depression: issues in diagnosis and treatment. *Harv Rev Psychiatry*. 2005;13:257-271.

Thibault JM, Steiner RWP. Efficient identification of adults with depression and dementia. *Am Fam Physician*. 2004;70:1101-1110.

US Preventive Services Task Force. Screening for depression: recommendations and rationale. *Ann Intern Med*. 2002;136:760-764.

US Department of Health and Human Services. *Mental Health: A Report of the Surgeon General*. Rockville, MD: US Dept of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services; 1999.

US Department of Health and Human Services. *Mental Health: Culture, Race, and Ethnicity – A Supplement to Mental Health: A Report of the Surgeon General*. Rockville, MD: US Dept of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services; 2001.

Ustun TB, Ayuso-Mateos JL, Chatterji S, Mathers C, Murray CJL. Global burden of depressive disorders in the year 2000. *British J Psychiatry*. 2004;184:386-392.

Varnier RV, Ruiz P, Small DR. Black and white patients' response to antidepressant treatment for major depression. *Psychiatr Q*. 1998;69:117-125.

Whooley MA, Avins AL, Miranda J, Browner WS. Case-finding instruments for depression: Two questions are as good as many. *J Gen Intern Med*. 1997;12:439-445.