

Core Curriculum – Disparities in the Diagnosis and Treatment of Depression

REFERENCES

Adler NE, Newman K. Socioeconomic disparities in health: pathways and policies. *Health Affairs*. 2002;21(2):60-76.

American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders, 4th Edition, Text Revision (DSM-IV-TR)*. Washington, DC: American Psychiatric Association; 2000: 879-898.

American Psychiatric Association. *Frequently Asked Questions: Diagnostic and Statistical Manual of Mental Disorders*. 2006. Available at: http://www.psych.org/research/dor/dsm/dsm_faqs/faq81301.cfm. Accessed October 27, 2006.

Andrulis DP. Access to care is the centerpiece in the elimination of socioeconomic disparities in health. *Ann Int Med*. 1998;129(5):412-416.

Barreto RM, Segal SP. Use of Mental Health Services by Asian Americans. *Psychiatric Services*. 2005;56:746-748.

Beach MC, Gary TL, Price EG, et al. Improving health care quality for racial/ethnic minorities: a systematic review of the best evidence regarding provider and organization interventions. *BMC Public Health*. 2006;6:104-114.

Betancourt JR, Green AR, Carrillo JE, Park ER. Cultural competence and health care disparities: Key perspectives and trends. *Health Aff*. 2005;24(2):499-505.

Bolen JC, Rhodes L, Powell-Griner EE, Bland SD, Holtzman D. State-Specific Prevalence of Selected Health Behaviors, by Race and Ethnicity – Behavioral Risk Factor Surveillance System, 1997. *Morb Mortal Wkly Rep Surveill Summ*. 2000;49(2):1-60. Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5208a1.htm>. Accessed November 1, 2006.

Borowsky SJ, Rubenstein LV, Meredith LS, Camp P, Jackson-Triche M, Wells KB. Who is at risk of nondetection of mental health problems in primary care? *J Gen Intern Med*. 2000;15:381-388.

Burman ME, McCabe S, Pepper CM. Treatment practices and barriers for depression and anxiety by primary care advanced practice nurses in Wyoming. *J Am Acad Nurse Pract*. 2005;17:370-380.

Burroughs VJ, Maxey RW, Crawley LM, Levy RA. *Cultural and Genetic Diversity in America: The Need for Individualized Pharmaceutical Treatment*. National Pharmaceutical Council and National Medical Association, 2002. Available at: <http://www.npcnow.org/resources/PDFs/CulturalFINAL.pdf>. Accessed on December 14, 2006.

Charbonneau A, Parker V, Meterko M, et al. The relationship of system-level quality improvement with quality of depression care. *Am J Manag Care*. 2004;10(part 2):846-851.

Chow JCC, Jaffee K, Snowden L. Racial/ethnic disparities in the use of mental health services in poverty areas. *Am J Public Health*. 2003;93:792-797.

Crystal S, Sambamoorthi U, Walkup JT, Akincigil A. Diagnosis and treatment of depression in the elderly medicare population: predictors, disparities, and trends. *J Am Geriatr Soc*. 2003;51(12):1718-1728.

Elo IT, Preston, SH. Educational differences in mortality: United States, 1979-85. *Soc Sci Med*. 1996;42(1):47-57.

Erkinjuntti T, Ostbye T, Steenhuis R, Hachinski V. The effect of different diagnostic criteria on the prevalence of dementia. *N Engl J Med*. 1997;337(23):1667-1674.

Griswold K, Zayas LE, Kernan JB, Wagner CM. Cultural awareness through medical student and refugee patient encounters. *J Immigr Minor Health*. 2006. (Epub ahead of print)

Institute of Medicine. *Improving the Quality of Health Care for Mental and Substance-Use Conditions: Quality Chasm Series: Executive Summary*. 2005. Institute of Medicine Committee on Crossing the Quality Chasm: Adaptation to Mental Health and Addictive Disorders. Available at: http://www.nap.edu/execsumm_pdf/11470.pdf. Accessed November 1, 2006.

Jablensky A, Mareslla AJ, Ekblad S, et al. International Conference on the Mental Health and Wellbeing of the World's Refugees and Displaced Persons, Stockholm, Sweden, 6-11 October, 1991. *J Refugee Studies*. 1992;5:172-183.

Jager M, Bottlender R, Strauss A, Moller HJ. Classification of functional psychoses and its implication for prognosis: comparison between ICD-10 and DSM-IV. *Psychopathology*. 2004;37(3):110-117.

Juarez JA, Marvel K, Brezinski KL, Glazner C, Towbin MM, Lawton S. Bridging the gap: A curriculum to teach residents cultural humility. *Fam Med*. 2006;38(2):97-102.

Juckett G. Cross-cultural medicine. *Am Fam Physician*. 2005;72(11):2267-2274.

Kaiser Commission on Medicaid and the Uninsured. *Who Are the Uninsured? A Consistent Profile Across National Surveys*. The Henry J. Kaiser Family Foundation; August 2006. 10 pages. Available at: <http://www.kff.org/uninsured/upload/7553.pdf#search=%2218%25%20of%20non-elderly%20minorities%20are%20uninsured%22>. Accessed November 1, 2006.

Kearney LK, Draper M, Baron A. *Counseling Utilization by Ethnic Minority Students: A Research Report of the Research Consortium of Counseling and Psychological Services in Higher*

Education. Austin, TX: The Counseling & Mental Health Center, The University of Texas at Austin; 2003. Available at: <http://www.utexas.edu/student/cmhc/research/rescon.html>. Accessed December 14, 2006.

Keppel KG, Percy JN, Wagener DK. Trends in racial and ethnic-specific rates for the health status indicators: United States, 1990-98: Healthy People 2000 Stat Notes. 2002. Available at: <http://www.cdc.gov/nchs/data/statnt/statnt23.pdf>. Accessed November 1, 2006.

Klinkman, MS. The Role of algorithms in the detection and treatment of depression in primary care. *J Clin Psychiatry*. 2003;64(suppl 2):19-23.

LaVeist TA, Nickerson KJ, Bowie JV. Attitudes about racism, medical mistrust, and satisfaction with care among African American and white cardiac patients. *Med Care Res Rev*. 2000;57(suppl 1):146-161.

Lillie-Blanton M, Marinez RM, Salganicoff A. Site of medical care: do racial and ethnic differences persist? *Yale J Health Policy Law Ethics*. 2001;1:1-17.

Malhotra A, Murphy GM, Kennedy JL. Pharmacogenetics of psychotropic drug response. *Am J Psychiatry*. 2004;161:780-796.

McAlpine DD. Utilization of specialty mental health care among persons with severe mental illness: The roles of demographics, need, insurance, and risk. *Health Serv Res*. 2000;35:277-292.

McCabe RJ, Rothery DJ, Wrate RM, Aspin J, Bryce JG. Diagnosis in adolescent inpatients: Diagnostic confidence and comparison of diagnoses using ICD-9 and DSM-III. *Euro Child Adol Psych*. 1996;5;3:147-154.

Melfi CA, Croghan TW, Hanna MP, Robinson RL. Racial variation in antidepressant treatment in a Medicaid population. *J Clin Psychiatry*. 2000;61(1):16-21.

Miranda J, Duan N, Sherbourne C et al. Improving care for minorities: Can quality improvement interventions improve care and outcomes for depressed minorities? Results of a randomized, controlled trial. *Health Serv Res*. 2003;38(2):613-630.

Murray J, Banerjee S, Byng R, Tylee A, Bhugra D, Macdonald A. Primary care professionals' perceptions of depression in older people: A qualitative study. *Soc Sci Med*. 2006;63(5):1363-1373.

Okasha A, Sadek A, al-Haddad MK, Abdel-Mawgoud M. Diagnostic agreement in psychiatry: a comparative study between ICD-9, ICD-10 and DSM-III-R. *Br J Psychiatry*. 1993;162:621-626.

Office of Minority Health. *National Standards for Culturally and Linguistically Appropriate Services in Health Care: Final Report*. Washington, DC: US Dept. of Health and Human

Services, Office of Minority Health. March 2001. Available at: <http://www.omhrc.gov/assets/pdf/checked/finalreport.pdf>. Accessed November 1, 2006.

Pincus T, Esther R, DeWalt DA, Callahan LF. Social conditions and self-management are more powerful determinants of health than access to care. *Ann Intern Med*. 1998;129(5):406-411.

Rait G, Burns A. Screening for depression and cognitive impairment in older people from ethnic minorities. *Age Aging*. 1998;27:271-275.

Robinson WD, Geske JA, Prest LA, Barnacle R. Depression treatment in primary care. *J Am Board Fam Pract*. 2005;18(2):79-86.

Saha S, Komaromy M, Koepsell TD, Bindman AB. Patient-physician racial concordance and the perceived quality and use of health care. *Arch Intern Med*. 1999;159(9):997-1004.

Schraufnagel TJ, Wagner AW, Miranda J, Roy-Byrne PP. Treating minority patients with depression and anxiety: What does the evidence tell us? *Gen Hosp Psychiatry*. 2006;28(1):27-36.

Smith, MW. Ethnopsychopharmacology. In: Lim RF (ed). *Clinical Manual of Cultural Psychiatry*. Arlington, VA: AP Publishing, Inc. 2006: 207-208.

Ton H, Lim RF. The Assessment of Culturally Diverse Individuals. In: Lim RF (ed). *Clinical Manual of Cultural Psychiatry*. Arlington, VA: American Psychiatric Publishing. 2006:23.

Underserved Quality Improvement Organization Support Center. *CLAS Implementation Guide*. US Dept. of Health and Human Services, Centers for Medicare & Medicaid Services. Available at: <http://www.qsource.org/uqiosc/CLASGuide.pdf>. Accessed November 2, 2006.

University of California at Davis Health System. *Cross Cultural Competency Program*. 2006. Available at: http://www.ucdmc.ucdavis.edu/hr/hrdepts/eod/cross_cultural_competency.html. Accessed November 2, 2006.

US Dept. of Health and Human Services. *Mental Health: Culture, Race, and Ethnicity – A Supplement to Mental Health: A Report of the Surgeon General*. Rockville, MD: US Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services; 2001.

US Dept. of Health and Human Services. *Mental Health: A Report of the Surgeon General*. Rockville, MD: US Dept of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services; 1999.

US Dept. of Health and Human Services. *The National Healthcare Disparities Report*. Rockville, MD: US Dept. of Health and Human Services, Agency for Healthcare Research and Quality.

AHRQ Publication No. 06-0017. December 2005. Available at:
<http://www.ahrq.gov/qual/nhdr05/nhdr05.htm>. Accessed November 1, 2006.

Van Voorhees BW, Fogel J, Houston TK, Cooper LA, Wang NY, Ford DE. Beliefs and attitudes associated with the intention to not accept the diagnosis of depression among young adults. *Ann Fam Med* 2005;3:38-45.

Varner RV, Ruiz P, Small DR. Black and white patients' response to antidepressant treatment for major depression. *Psychiatr Q*. 1998;69:117-125.